

CHARGE INTO THE BIG LEAGUES

GET AHEAD OF THE PACK

The KTM 85 SX offers a real sense of the big league of motocross. Every inch of this motorcycle adopts the proven design of the big bike range. Its factory-styled orange frame houses a lightweight and compact engine, delivering unrivalled performance and rideability. This mini warrior is the ultimate race weapon, ready to go out and conquer the podium.



BODYWORK AND GRAPHICS

By using the same touch points as the full size SX range, the bodywork on the KTM 85 SX has an ultimate performance-oriented feeling for young riders. The effect of the design is complete harmony between rider and bike, ensuring maximum freedom of movement and improved agility. The bodywork is fittingly finished off with aggressive, modern graphics, that confirm the bike's race-winning intentions.



CHASSIS AND SUSPENSION

KTM has successfully developed a chassis that handles the varied demands of 85 cc riders.

ALL SET FOR DOMINATION

COMPACT POWER AND CONTROL

This full-on piece of race machinery is the ultimate bike for budding champions ready to step up. Featuring highly-capable WP suspension and the latest 2-stroke technology, the KTM 65 SX sets the standard in terms of power, riding dynamics and craftsmanship in its class. A truly READY TO RACE weapon for young competitors.

CLUTCH

One of the many outstanding highlights on the KTM 65 SX is the hydraulically operated clutch made by FORMULA. Its easy, well-defined action makes it ideal for young riders learning the art of torque and rev control.

ENGINE

The 65 SX benefits from KTM's renowned, cutting-edge 2-stroke technology. Its compact, lightweight engine structure delivers race-winning performance in the most effective way. A pressure controlled exhaust valve is a powerful feature of the cylinder and contributes to its class-leading power and torque.



AER 35 FORK

A lightweight, fully adjustable WP AER 35 air fork delivers exceptional front end control. With 215 mm of travel, the 35 mm upside-down fork provides outstanding comfort, damping characteristics and directional stability. A significant benefit for junior riders is that the air spring in the left fork leg can be adjusted perfectly to the rider's weight by simply using an air fork pump.



KTM 65 SX

A WINNING START

TRACK CONQUERING CONTROL

There is no mistaking that the KTM 50 SX is a full-blooded dirt bike, packed with top-quality components. It is a highly competitive choice for those stepping into the world of MX. Catering for the youngest motocross generation, it delivers steady, controllable power, with an automatic clutch that is ideal for novice riders. A revolutionary WP AER 35 front fork and fully adjustable rear suspension make going fast easy, fun and safe.



HIGH-END DISC BRAKES

Control is vitally important in the 50 cc class and with high-quality front and rear hydraulic brakes by FORMULA, no compromises have been made. Combined with lightweight wave discs, the complete braking setup ensures the best deceleration and the highest standard when it comes to safety.

ENGINE

Modern and extremely compact, this 2-stroke engine answers the demands of the sport's youngest competitors. An innovative 3-shaft design places the crankshaft close to the bike's centre of gravity. which not only benefits handling, but also allows for a flow optimized intake angle of the reed valve, ensuring maximum performance. KTM 50 SX CLUTCH A specially developed centrifugal multi-disc automatic clutch provides manageable acceleration, making this bike a race winner for all levels of ability. It can be quickly and easily adjusted to suit the specific requirements of the track or rider without using any special tools.

SUSPENSION

For future KTM SX stars, only the best quality will do, like the revolutionary WP AER 35 air fork and a fully-adjustable WP PDS rear shock. Working as a unit, they deliver the incredible handling in all conditions and confidence inspiring control.







KTM 85 SX

 ENGINE TYPE
 Sing

 DISPLACEMENT
 84.9

 BORE/STROKE
 47/**

 STARTER
 Kick

 CARBURETOR
 Kein

 CONTROL
 Rota

 LUBRICATION
 Mixt

 TRANSMISSION OIL
 Mot

 TRANSMISSION
 6 ge

 GEAR RATIOS
 11:2

GEAR RATIOS
PRIMARY RATIO
FINAL DRIVE
COOLING
CLUTCH

IGNITION

CHASSIS FRAME SUBFRAME

GROUND CLEARANCE
SEAT HEIGHT

TANK CAPACITY, APPROX.

HANDLEBAR
FRONT SUSPENSION
REAR SUSPENSION
SUSPENSION TRAVEL FRONT/REAR
FRONT BRAKE
REAR BRAKE
FRONT/REAR RIMS
FRONT/REAR TIRES
CHAIN
SILENCER
STEERING HEAD ANGLE
TRIPLE CLAMP OFFSET
WHEEL BASE

WEIGHT, READY TO RACE, WITHOUT FUEL, APPROX.

Single cylinder, 2-stroke 84.9 cc

47/48.95 mm Kickstarter Keihin PWK 28

Rotation speed dependent exhaust flap with sub-exhaust

Mixture lubrication 1:40 Motorex Topspeed 4T 15W50

11:29 14:28 16:26 19:26 21:25 20:21 20:64

13:49 Liquid cooling

Wet multi-disc clutch, Formula hydraulics

MEDJ digital

Double grinded central double-cradle-type frame

Aluminum Tapered Aluminum, Ø 28/22 mm

WP Upside-Down Ø 43 mm (AER43) WP-PDS mono shock

278/305 mm
Disc brake Ø 240 mm
Disc brake Ø 210 mm
1.60 x 19"; 1.85 x 16" Alu
70/100 x 19"; 90/100 x 16"

Aluminum 66° 14 mm

1/2 x 5/16"

 $1,290 \; \text{mm} \pm 10 \; \text{mm}$

362 mm 890 mm 5.2 l 68 kg

KTM 65 SX

Single cylinder, 2-stroke 64.9 cc 45/40.8 mm Kickstarter Mikuni VM 24

Slide valve, exhaust gas pressure dependent

Mixture lubrication 1:60 Motorex Topspeed 4T 15W50

6 gears

 $13:37\ 16:34\ 18:31\ 21:30\ 23:28\ 24:26$

23:75 14:48 Liquid cooling

Wet multi-disc clutch, Formula hydraulics

AET digital

Double grinded central double-cradle-type frame

Aluminum

Renthal, Aluminum Ø 22 mm WP Upside-Down Ø 35 mm (AER35) WP mono shock

215/270 mm Disc brake Ø 198 mm Disc brake Ø 160 mm 1.60 x 14"; 1.60 x 12" Alu 60/100 x 14"; 80/100 x 12" 1/2 x 1/4"

Aluminum 64.5° 22 mm 1,137 mm ± 10 mm

53 kg

280 mm 750 mm 3.5 l

KTM 50 SX

Single cylinder, 2-stroke 49 cc 39.5/40 mm Kickstarter Dell'Orto PHBG 19 BS

- Mixture lubrication 1:60
Dextron III "Motorex ATF 3"
Single gear automatic

14:31 33:61 11:40 Liquid cooling

Centrifugal clutch (adjustable)

Selettra 2p D36

Double grinded central double-cradle-type frame

Steel

Renthal, Aluminum Ø 22 mm WP Upside-Down Ø 35 mm (AER35)

WP mono shock 205/185 mm

Disc brake Ø 160 mm Disc brake Ø 160 mm 1.50 x 12"; 1.60 x 10" Alu 60/100 x 12"; 2.75 x 10" 1/2 x 3/16"

66°
22 mm
1,032 mm ± 10 mm
252 mm

252 mm 684 mm 2.3 l 41.5 kg

Aluminum

WWW.KTM.COM/POWERPARTS



YOUR RIDE

STAY READY TO RACE

KTM PowerParts offer young riders the opportunity to maximize their ride to levels of unparalleled intensity, resetting the boundaries of possibility.



HANDGUARD

- > Open version, attached directly at the levers with a special mounting
- > Black mid section = maximum strength
- > Colored top and bottom parts = highly flexible, enduring even the roughest of treatment



OUTER CLUTCH COVER

- > CNC machined from highest quality aluminum
- > Withstands toughest treatment
- > Original factory look



FACTORY START

- > CNC machined from high-strength aluminum
- > Prevents front wheel from lifting at the start
- > Ensures more traction on the rear wheel



FMF POWERCORE 2 SILENCER

- > Outer sleeve manufactured from high-grade aluminum
- > Full sound despite low noise level
- > Lightweight, perfect fit, easy to install

WORN

SUIT UP TO RIDE THE LIMIT KTM PowerWear is developed with the uncompromising freedom of movement and superior protection for young riders intent on pushing the limits. In the pursuit of excellence, refined function gives future stars the crucial edge.



KIDS DYNAMIC-FX HELMET

- > Kids specific helmet shell
- > Dual-density EPS inner shell
- > Fibreglass outer shell



KIDS BUZZ PRO GOGGLES

- > Fog-free lens thanks to NoFog™ technology
- > Headband with adhesive silicon strips
- > Twin-layer foam for excellent fit

KIDS POUNCE SHIRT

KINA POWERWEAR

- > Breathable, finely ventilated PE fabric
- > Dual-mesh panels under the arms

KIDS POUNCE PANTS

- > Fully ventilated mesh inner lining for maximum air circulation and cooling in extreme conditions
- > Heatproof and abrasion-resistant leather knee reinforcement
- > Double and triple-reinforced seams for maximum durability

WWW.KTM.COM/POWERWEAR





KTM FINANCE*

Financing your ride couldn't possibly be any easier. With KTM's financial partner, finding yourself seated on the bike of your dreams is simpler than you could've ever imagined. Motorcycle-specific, individually tailored financial solutions enable you to race off in no time. Contact your authorized KTM dealer for more information.

LEGAL DISCLAIMER

Do not imitate!

The riders illustrated are professional motorcycle riders. The photos were taken on closed racing circuits or closed roads. KTM wishes to make all motorcyclists aware that they need to wear the prescribed protective gear and always ride in a responsible manner in accordance with the relevant and applicable provisions of the road traffic regulations.

The motorcycles advertised in this brochure are not suitable for use in road traffic. The warnings and hazard notices in the owner's manual must be observed without fail when purchasing a motorcycle and using it for the first time (especially the prescribed speed limits). Some items in the KTM PowerParts product line are not approved for use on public roads in certain circumstances (varies from country to country). Please contact your KTM dealer for further information. The illustrated vehicles may vary in selected details from the production models and some illustrations feature optional equipment available at additional cost. All information concerning the scope of supply, appearance, services, dimensions and weights is non-binding and specified with the proviso that mistakes, printing, setting and typing errors may occur; such information is subject to change without notice. Please note that model sneedifications may vary from country to country. change without notice. Please note that model specifications may vary from country to country.

* KTM Finance might not be available for all markets. Please ask your local authorized KTM dealer about the offers and conditions in your country.







